



# BIOCLEAN

## NERVA™

### Non-sterile Nitrile Gloves

# BNAL

### About

The 400mm (16") BioClean Nerva™ Nitrile Gloves provide elbow length protection. With excellent ESD properties, resistance to a wide range of chemicals, and latex-free, these white, ambidextrous gloves feature improved double-donning properties, enhanced grip and a beaded cuff for added strength.

### Specifications

**COMPATIBILITY:**

ISO Class 4

**LENGTH:**

400mm (16")

**MATERIAL:**

Nitrile

**PROTEIN LEVEL:**

Nitrile contains no natural latex proteins

**SURFACE:**

Textured

**SHAPE:**


Ambidextrous

**COLOUR:**

White

### Features

- Resistant to a wide range of chemicals
- Elbow length protection
- Powder-free & latex-free
- Excellent antistatic properties
- Beaded cuff
- Non-particulating EasyTear™ packaging



ELBOW LENGTH

TEXTURED

LATEX-FREE

ANTISTATIC

EXCELLENT CHEMICAL RESISTANCE



Ms. G. Love™ represents BioClean's range of cleanroom gloves

## Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of European Glove Standards EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009

## Shelf Life & Storage

Five (5) years from date of manufacture.  
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

## Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65	EN 374-2:2003
Minimum Length (mm/inches)	390/15.3	EN 420:2003
Single Wall Thickness Minimum (mm)	Cuff: 0.08 Palm: 0.10 Finger Tip: 0.16	EN 455-2:2009
Force At Break During Shelf Life	≥ 9 N	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm					
SIZE	Small	Medium	Large	XLarge	XXLarge
mm	82	94	105	115	121
TEST METHOD			EN455-2:2009		

## Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT				TEST METHOD
≥ 0.5µm(counts/cm <sup>2</sup> )				<2800				IENT-RP-CC005.3
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IENT-RP-CC005.3
(µg/cm <sup>2</sup> )	ND	0.030	NT	NT	0.500	0.060	0.100	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm <sup>2</sup> )	NT	0.050	0.020	0.060	0.400	ND	ND	
ND = Not Detected, NT = Not Tested								

## TO ORDER

### Re-order code

BNAL-S  
BNAL-M  
BNAL-L  
BNAL-XL  
BNAL-XXL

### Size

Small  
Medium  
Large  
XLarge  
XXLarge

### Packing

100 pieces per sealed inner PE bag;  
one inner PE bag per sealed outer PE  
bag; 10 outer bags per lined carton  
(1000 pieces)

## CONTACT

### Europe (Headquarters)

Nitritex Ltd.  
Minton Enterprise Park,  
Oaks Drive,  
Newmarket, Suffolk,  
CB8 7YY,  
United Kingdom  
T: +44 (0) 1638 663338  
F: +44 (0) 1638 668890  
E: [europa@bioclean.com](mailto:europa@bioclean.com)

### Other Regions

Asia: [malaysia@bioclean.com](mailto:malaysia@bioclean.com)  
Americas: [americas@bioclean.com](mailto:americas@bioclean.com)



BioClean™ is a brand of Nitritex Ltd.

For more information, please visit [www.bioclean.com](http://www.bioclean.com)

BNAL/1606/PDS23